



### **Cut- and bendmachine MSBC32-36E, 3x 400V-50Hz**

510.10520

#### Features:

- Electrically driven bending machine for rebar.
- Simple and robust design with two adjustable guides.
- The bending plate can rotate both left and right.
- De cutting head is equipped with 2 hardenend steel blades that are changeable.
- Angle adjustment by means of stop pins (1 bending angle per direction of rotation).

#### Bending tools included:

- 6 bending rollers (Ø50-60-70-80-95-120mm)
- 3 bending pins
- 1 stirrup bending tool
- 1 small diameter bending pin
- 1 foot pedal

#### Technical information:

- RPM: 8
- Motor capacity: 3 KW at 3 $\phi$  400V/50Hz
- Max. bending capacity at R=650 N/mm<sup>2</sup>: 1 $\times$  $\varnothing$ 34, 2 $\times$  $\varnothing$ 24, 3 $\times$  $\varnothing$ 20mm
- Max. bending capacity at R=850 N/mm<sup>2</sup>: 1 $\times$  $\varnothing$ 32, 2 $\times$  $\varnothing$ 22, 3 $\times$  $\varnothing$ 18mm
- Max. cutting capacity at R=650 N/mm<sup>2</sup>: 1 $\times$  $\varnothing$ 28, 2 $\times$  $\varnothing$ 20, 3 $\times$  $\varnothing$ 16mm
- Max. cutting capacity at R=850 N/mm<sup>2</sup>: 1 $\times$  $\varnothing$ 25, 2 $\times$  $\varnothing$ 16, 3 $\times$  $\varnothing$ 14mm
- L $\times$ W $\times$ H: 90 $\times$ 107 $\times$ 85cm
- Weight: 400 kg