



## **Bending machine MSB38-E, 3x400V-50Hz, 2-speed, with controller**

510.10333

### Features:

- Electrically driven bending machine for rebar.
- Simple and robust design with two adjustable guides.
- The bending plate can rotate both left and right.
- Two bending speeds allow for higher speed when bending thinner diameters.
- Angle adjustment by means of programmable display. Bending shapes consisting of several different bending angles, both positive and negative (up to 20 pieces) in one cycle.
- In addition, a counter is provided to count the number of bends.

Bending tools included:

- 6 bending rollers (Ø50-60-70-80-95-120mm)
- 3 bending pins
- 1 stirrup bending tool
- 1 small diameter bending pin
- 1 foot pedal

Technical information:

- RPM: 9
- Motor capacity: 3 KW at 3 $\phi$  400V/50Hz
- Max. bending capacity at R=650 N/mm<sup>2</sup>: 1 $\times$ Ø34, 2 $\times$ Ø26, 3 $\times$ Ø20mm
- Max. bending capacity at R=850 N/mm<sup>2</sup>: 1 $\times$ Ø32, 2 $\times$ Ø24, 3 $\times$ Ø18mm
- L $\times$ W $\times$ H: 86 $\times$ 90 $\times$ 85cm
- Weight: 365 kg

Control panel: